



9. ETIQUETADO | LABELLING | ÉTIQUETAGE | MARCATURA | ETIQUETAGEM



						26
G3000				M1910		
UNE-EN 16510-1:2022				UNE EN 16510-2-2		
Calefacción en edificios residenciales / Space heating in residential buildings / Chauffage des locaux dans les batiments résidentiels / Riscaldamento ambienti residenziali / Raumheizung in Wohngebäuden						
Natural wood logs				S/N:		
NB n°: 1880				DoP n°: 16510-77244		
Class (A++/G): A+				EEL: 110		η _g : 73%
TYPE: BE				CON / INT: INT		Tclass: T400G
P _{nom} :		8.8 kW		P _{part} :		4.5 kW
P _{nom} :		8.8 kW		P _{part} :		4.5 kW
P _{Wnom} :		- kW		P _{Wpart} :		- kW
η _{nom} :		82.9 %		η _{part} :		80.9 %
CO _{nom} (13% O ₂):		1214 mg/m³		CO _{part} (13% O ₂):		2759 mg/m³
NO _x nom (13% O ₂):		81 mg/m³		NO _x part (13% O ₂):		87 mg/m³
OGC _{nom} (13% O ₂):		58 mg/m³		OGC _{part} (13% O ₂):		231 mg/m³
PM _{nom} (13% O ₂):		18 mg/m³		PM _{part} (13% O ₂):		9 mg/m³
P _{nom} :		12 Pa		P _{part} :		6.4 Pa
T _s nom:		210.96 °C		T _s part:		201.24 °C
Φ _{f,g} nom:		10.8 g/s		Φ _{f,g} part:		6.3 g/s
e _{max} :		- W		e _l min:		- W
W _{max} :		- W		e _l ss:		- W
E:		- V		f:		- Hz
pw:		- bar		m _{chim} :		- kg
dB:		180 mm		dC:		750 mm
dF:		700 mm		dL:		850 mm
dR:		150 mm		dS:		200 mm
dP:		1850 mm		s:		-
ESi: NPD				λd: -		
MANUFACTURAS ROCAL S.A. Raval Sant Antoni, 2 - 08540 Centelles (Barcelona - Spain)				 		Made in Spain

						26
G3000 + T				M1910+T1271		
UNE-EN 16510-1:2022 UNE EN 16510-2-2						
Calefacción en edificios residenciales / Space heating in residential buildings / Chauffage des locaux dans les batiments résidentiels / Riscaldamento ambienti residenziali / Raumheizung in Wohngebäuden						
Natural wood logs			S/N:			
NB n°: 1880			DoP n°: 16510-20997			
Class (A++/G): A+		EEL: 116		η _s : 77%		
TYPE:	BE	CON / INT: INT		Tclass: T400G		
P _{nom} :	12.5 kW	P _{part} :		4.5 kW		
P _{nom} :	12.5 kW	P _{part} :		4.5 kW		
P _{Wnom} :	- kW	P _{Wpart} :		- kW		
η _{nom} :	86.8 %	η _{part} :		80.9 %		
CO _{nom} (13% O ₂):	572 mg/m³	CO _{part} (13% O ₂):		2759 mg/m³		
NO _x nom (13% O ₂):	91 mg/m³	NO _x part (13% O ₂):		87 mg/m³		
OGC _{nom} (13% O ₂):	23 mg/m³	OGC _{part} (13% O ₂):		231 mg/m³		
PM _{nom} (13% O ₂):	9 mg/m³	PM _{part} (13% O ₂):		9 mg/m³		
P _{nom} :	11.9 Pa	P _{part} :		6.4 Pa		
T _s nom:	236.76 °C	T _s part:		201.24 °C		
Φ _{f,g} nom:	9.7 g/s	Φ _{f,g} part:		6.3 g/s		
el _{max} :	- W	el _{min} :		- W		
W _{max} :	- W	el _{ss} :		- W		
E:	- V	f:		- Hz		
pw:	- bar	m _{chim} :		- kg		
dB:	180 mm	dC:		750 mm		
dF:	700 mm	dL:		850 mm		
dR:	150 mm	dS:		200 mm		
dP:	1850 mm	s:		-		
ESi:	NPD	λd:		-		
MANUFACTURAS ROCAL S.A. Raval Sant Antoni, 2 - 08540 Centelles (Barcelona - Spain)			 			Made in Spain






						26
G3500				M1920		
UNE-EN 16510-1:2022 UNE EN 16510-2-2						
Calefacción en edificios residenciales / Space heating in residential buildings / Chauffage des locaux dans les batiments résidentiels / Riscaldamento ambienti residenziali / Raumheizung in Wohngebäuden						
Natural wood logs				S/N:		
NB n°: 1880				DoP n°: 16510-16025		
Class (A++/G): A				EEL: 105		η _g : 70%
TYPE: BE				CON / INT: INT		Tclass: T400G
P _{nom} : 10.9 kW				P _{part} : 5.6 kW		
P _{nom} : 10.9 kW				P _{part} : 5.6 kW		
P _{Wnom} : - kW				P _{Wpart} : - kW		
η _{nom} : 79.5 %				η _{part} : 77.8 %		
CO _{nom} (13% O ₂): 1214 mg/m³				CO _{part} (13% O ₂): 2759 mg/m³		
NO _{xnom} (13% O ₂): 88 mg/m³				NO _{xpart} (13% O ₂): 94 mg/m³		
OGC _{nom} (13% O ₂): 58 mg/m³				OGC _{part} (13% O ₂): 231 mg/m³		
PM _{nom} (13% O ₂): 18 mg/m³				PM _{part} (13% O ₂): 10 mg/m³		
P _{nom} : 12 Pa				P _{part} : 6.4 Pa		
T _{s nom} : 333.24 °C				T _{s part} : 224.88 °C		
Φ _{g nom} : 11.9 g/s				Φ _{g part} : 10.9 g/s		
el _{max} : - W				el _{min} : - W		
W _{max} : - W				el _{ss} : - W		
E: - V				f: - Hz		
pw: - bar				m _{chim} : - kg		
dB: Insulate* mm				dC: 750 mm		
dF: 1000 mm				dL: 1100 mm		
dR: 150 mm				dS: 200 mm		
dP: 2500 mm				s: -		
ESl: NPD				λd: -		
MANUFACTURAS ROCAL S.A. Raval Sant Antoni, 2 - 08540 Cenelles (Barcelona - Spain)				 		Made in Spain

						26
G3500 + T				M1920+T1272		
UNE-EN 16510-1:2022 UNE EN 16510-2-2						
Calefacción en edificios residenciales / Space heating in residential buildings / Chauffage des locaux dans les batiments résidentiels / Riscaldamento ambienti residenziali / Raumheizung in Wohngebäuden						
Natural wood logs				S/N:		
NB n°: 1880				DoP n°: 16510-40235		
Class (A++/G): A+				EEL: 113		η _g : 75%
TYPE: BE				CON / INT: INT		Tclass: T400G
P _{nom} : 15.6 kW				P _{part} : 5.6 kW		
P _{nom} : 15.6 kW				P _{part} : 5.6 kW		
P _{wnom} : - kW				P _{wpart} : - kW		
η _{nom} : 85.1 %				η _{part} : 77.8 %		
CO _{nom} (13% O ₂): 650 mg/m³				CO _{part} (13% O ₂): 2759 mg/m³		
NO _{xnom} (13% O ₂): 91 mg/m³				NO _{xpart} (13% O ₂): 94 mg/m³		
OGC _{nom} (13% O ₂): 23 mg/m³				OGC _{part} (13% O ₂): 231 mg/m³		
PM _{nom} (13% O ₂): 9 mg/m³				PM _{part} (13% O ₂): 10 mg/m³		
P _{nom} : 12 Pa				P _{part} : 6.4 Pa		
T _{s nom} : 293.52 °C				T _{s part} : 224.88 °C		
Φ _{g nom} : 13 g/s				Φ _{g part} : 10.9 g/s		
e _{max} : - W				e _{min} : - W		
W _{max} : - W				e _{ss} : - W		
E: - V				f: - Hz		
pw: - bar				m _{chim} : - kg		
dB: Insulate* mm				dC: 750 mm		
dF: 1000 mm				dL: 1100 mm		
dR: 150 mm				dS: 200 mm		
dP: 2500 mm				s: -		
ESl: NPD				λd: -		
MANUFACTURAS ROCAL S.A. Raval Sant Antoni, 2 - 08540 Cenelles (Barcelona - Spain)				  Made in Spain		



  		26
G4500		M1940
UNE-EN 16510-1:2022 UNE EN 16510-2-2		
Calefacción en edificios residenciales / Space heating in residential buildings / Chauffage des locaux dans les batiments résidentiels / Riscaldamento ambienti residenziali / Raumheizung in Wohngebäuden		
Natural wood logs		S/N:
NB n°:	1880	DoP n°: 16510-55023
Class (A++/G):	A	EEL: 105
		η_s : 70%
TYPE:	BE	CON / INT: INT
P_{nom} :	10.2 kW	P_{part} : 5.2 kW
P_{nom} :	10.2 kW	P_{part} : 5.2 kW
P_{Wnom} :	- kW	P_{Wpart} : - kW
η_{nom} :	79.5 %	η_{part} : 77.8 %
CO_{nom} (13% O_2):	1214 mg/m ³	CO_{part} (13% O_2): 2759 mg/m ³
NO_{xnom} (13% O_2):	88 mg/m ³	NO_{xpart} (13% O_2): 94 mg/m ³
OGC _{nom} (13% O_2):	58 mg/m ³	OGC _{part} (13% O_2): 231 mg/m ³
PM _{nom} (13% O_2):	18 mg/m ³	PM _{part} (13% O_2): 10 mg/m ³
P_{nom} :	12 Pa	P_{part} : 6.4 Pa
T_{snom} :	333.24 °C	T_{spart} : 224.88 °C
Φ_{fgnom} :	11.9 g/s	Φ_{fgpart} : 10.9 g/s
el_{max} :	- W	el_{min} : - W
W_{max} :	- W	el_{sb} : - W
E:	- V	f: - Hz
pw:	- bar	m_{chim} : - kg
dB:	Insulate* mm	dC: 750 mm
dF:	1000 mm	dL: 1100 mm
dR:	150 mm	dS: 200 mm
dP:	2500 mm	s: -
ESI:	NPD	λd : -
MANUFACTURAS ROCAL S.A. Raval Sant Antoni, 2 - 08540 Centelles (Barcelona - Spain)		

  		26
G4500 + T		M1940+T1272
UNE-EN 16510-1:2022 UNE EN 16510-2-2		
Calefacción en edificios residenciales / Space heating in residential buildings / Chauffage des locaux dans les batiments résidentiels / Riscaldamento ambienti residenziali / Raumheizung in Wohngebäuden		
Natural wood logs		S/N:
NB n°:	1880	DoP n°: 16510-13653
Class (A++/G):	A+	EEL: 113
		η_s : 75%
TYPE:	BE	CON / INT: INT
P_{nom} :	15.3 kW	P_{part} : 5.2 kW
P_{nom} :	15.3 kW	P_{part} : 5.2 kW
P_{Wnom} :	- kW	P_{Wpart} : - kW
η_{nom} :	85.1 %	η_{part} : 77.8 %
CO_{nom} (13% O_2):	650 mg/m ³	CO_{part} (13% O_2): 2759 mg/m ³
NO_{xnom} (13% O_2):	91 mg/m ³	NO_{xpart} (13% O_2): 94 mg/m ³
OGC _{nom} (13% O_2):	23 mg/m ³	OGC _{part} (13% O_2): 231 mg/m ³
PM _{nom} (13% O_2):	9 mg/m ³	PM _{part} (13% O_2): 10 mg/m ³
P_{nom} :	12 Pa	P_{part} : 6.4 Pa
T_{snom} :	293.52 °C	T_{spart} : 224.88 °C
Φ_{fgnom} :	13 g/s	Φ_{fgpart} : 10.9 g/s
el_{max} :	- W	el_{min} : - W
W_{max} :	- W	el_{sb} : - W
E:	- V	f: - Hz
pw:	- bar	m_{chim} : - kg
dB:	Insulate* mm	dC: 750 mm
dF:	1000 mm	dL: 1100 mm
dR:	150 mm	dS: 200 mm
dP:	2500 mm	s: -
ESI:	NPD	λd : -
MANUFACTURAS ROCAL S.A. Raval Sant Antoni, 2 - 08540 Centelles (Barcelona - Spain)		



  		26
G5000		M1950
UNE-EN 16510-1:2022 UNE EN 16510-2-2		
Calefacción en edificios residenciales / Space heating in residential buildings / Chauffage des locaux dans les batiments résidentiels / Riscaldamento ambienti residenziali / Raumheizung in Wohngebäuden		
Natural wood logs		S/N:
NB n°: 1880		DoP n°: 16510-93804
Class (A++/G): A	EEL: 105	η_s : 70%
TYPE: BE	CON / INT: INT	Tclass: T400G
P_{nom} : 13.1 kW	P_{part} : 7.1 kW	
P_{nom} : 13.1 kW	P_{part} : 7.1 kW	
P_{Wnom} : - kW	P_{Wpart} : - kW	
η_{nom} : 79.5 %	η_{part} : 77.8 %	
CO_{nom} (13% O_2): 899 mg/m ³	CO_{part} (13% O_2): 1829 mg/m ³	
NO_{xnom} (13% O_2): 88 mg/m ³	NO_{xpart} (13% O_2): 94 mg/m ³	
OGC _{nom} (13% O_2): 27 mg/m ³	OGC _{part} (13% O_2): 131 mg/m ³	
PM _{nom} (13% O_2): 7 mg/m ³	PM _{part} (13% O_2): 10 mg/m ³	
P_{nom} : 11.9 Pa	P_{part} : 11.9 Pa	
T_{snom} : 333.24 °C	T_{spart} : 224.88 °C	
Φ_{fgnom} : 11.9 g/s	Φ_{fgpart} : 10.9 g/s	
el_{max} : - W	el_{min} : - W	
W_{max} : - W	el_{sb} : - W	
E: - V	f: - Hz	
pw: - bar	m_{chim} : - kg	
dB: Insulate* mm	dC: 750 mm	
dF: 1000 mm	dL: 1100 mm	
dR: 100 mm	dS: 100 mm	
dP: 2500 mm	s: -	
ESI: NPD	λd : -	
MANUFACTURAS ROCAL S.A. Raval Sant Antoni, 2 - 08540 Centelles (Barcelona - Spain)		

  		26
G5000 + T		M1950+T1272
UNE-EN 16510-1:2022 UNE EN 16510-2-2		
Calefacción en edificios residenciales / Space heating in residential buildings / Chauffage des locaux dans les batiments résidentiels / Riscaldamento ambienti residenziali / Raumheizung in Wohngebäuden		
Natural wood logs		S/N:
NB n°: 1880		DoP n°: 16510-32891
Class (A++/G): A+	EEL: 113	η_s : 75%
TYPE: BE	CON / INT: INT	Tclass: T400G
P_{nom} : 18.8 kW	P_{part} : 7.1 kW	
P_{nom} : 18.8 kW	P_{part} : 7.1 kW	
P_{Wnom} : - kW	P_{Wpart} : - kW	
η_{nom} : 85.1 %	η_{part} : 77.8 %	
CO_{nom} (13% O_2): 650 mg/m ³	CO_{part} (13% O_2): 1829 mg/m ³	
NO_{xnom} (13% O_2): 90 mg/m ³	NO_{xpart} (13% O_2): 94 mg/m ³	
OGC _{nom} (13% O_2): 19 mg/m ³	OGC _{part} (13% O_2): 131 mg/m ³	
PM _{nom} (13% O_2): 6 mg/m ³	PM _{part} (13% O_2): 10 mg/m ³	
P_{nom} : 12 Pa	P_{part} : 11.9 Pa	
T_{snom} : 293.52 °C	T_{spart} : 224.88 °C	
Φ_{fgnom} : 13 g/s	Φ_{fgpart} : 10.9 g/s	
el_{max} : - W	el_{min} : - W	
W_{max} : - W	el_{sb} : - W	
E: - V	f: - Hz	
pw: - bar	m_{chim} : - kg	
dB: Insulate* mm	dC: 750 mm	
dF: 1000 mm	dL: 1100 mm	
dR: 100 mm	dS: 100 mm	
dP: 2500 mm	s: -	
ESI: NPD	λd : -	
MANUFACTURAS ROCAL S.A. Raval Sant Antoni, 2 - 08540 Centelles (Barcelona - Spain)		

